





KENT

AUTOMOTIVE

 Your Partner in Profitability™

Estimator's Product Guide

E809K

V5 (10/20)

USA: 888.YES.KENT (888.937.5368) | Canada: 800.563.1717
kent-automotive.com

Table of Contents

Core Support. 3

Apron & Upper Reinforcement. 4

A-Pillar 5

Center Post & Rocker Panel 6

Door Shell 7

Door Skin. 8

Quarter Panel 9

SUV Uniside. 10

Rear Body Panel 11

Trunk Floor & Rear Frame Rail 12

Trunk Bed Side. 13

Trunk Lid 14

Hood 15

Roof 16

Profit-Enhancing Tools for Collision Repair Centers

PROS Profit Enhancement and Inventory Manager Tool® earns you money by enabling you to charge for consumable repair products. PROS creates invoices, tracks jobs and integrates with CCC® Repair Workflow Management System for faster entry, improved accuracy and reduced cycle time. Plus, easily track inventory levels and valuations with the PROS Inventory Management feature.

- Details all products on each repair order, including non-Kent items
- Barcode printing and scanning makes tracking parts fast and easy
- Creates supplemental, customizable invoices using your repair order numbers

Our estimating and price retrieval partners include:







PROS
PROFIT ENHANCEMENT AND
INVENTORY MANAGER TOOL®

Core Support



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



I509230
Euro Black Paint

DTM
Primer



I456568
Black



P60305
Inner Panel Rustproofers
(Cavity Wax)



I584663
Inner Panel Rustproofers LV



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/3/16(M8)



I456569
Gray



I456570
Light Green



I456571
Olive Green



I506366
Tan



I506367
White



I506368
Olive Brown



KT14912
Rubber Guard
(Undercoat)



PI0491[†]
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)

[†]OEM Approved: PI0491 - GM specification number 9984532 For in-plant use, Ford TOX#042633.

Apron & Upper Reinforcement



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy Primer 2K



I515024
Self-Etching Primer



P60305
Inner Panel Rustproof
(Cavity Wax)



I584663
Inner Panel Rustproof LV



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-13/16(M8)



KT14912
Rubber Guard
(Undercoat)

Quick Seal MSP



KT13977 Beige



KT13978 Gray



KT13979† Black



KT15176 White



KT12638
Panel Adhesive 2-1



PI3706†
Quick Seal 2000
(Sprayable Seam Sealer)

†OEM Approved: KT13979 - Ford TOX#156632. PI3706 - Ford TOX#160960.

A-Pillar



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



PI0545[†]
Speed Set Windshield Sealant



I515024
Self-Etching Primer



P60305
Inner Panel Rustproofers
(Cavity Wax)



I584663
Inner Panel Rustproofers LV



P43782
Supertanium[®] ProBit[®]
Spot Weld Remover
Drill Bit HSS 2-13/16(M8)



KT14912
Rubber Guard
(Undercoat)



KT14707
Supertanium[®] ProBit[®]
Spot Weld Remover
Drill Bit 5/16" (M8)



PI0491[†]
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)



KT13672
Pillar Foam
10 oz.



KT12638
Panel Adhesive 2-1



PI3706[†]
Quick Seal 2000
(Sprayable Seam Sealer)

[†]OEM Approved: PI0545 – GM Approved 99854684 for in plant use. PI0491 – GM specification number 9984532 For in-plant use, Ford TOX#042633. PI3706 - Ford TOX#160960.

Center Post & Rocker Panel



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy Primer 2K



I515024
Self-Etching Primer



P60305
Inner Panel Rustproofers
(Cavity Wax)



I584663
Inner Panel Rustproofers LV



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/3/16(M8)



KT14912
Rubber Guard
(Undercoat)



P10491[†]
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)



KT13672
Pillar Foam
10 oz.



KT12638
Panel Adhesive 2-1



P13706[†]
Quick Seal 2000
(Sprayable Seam Sealer)

[†]OEM Approved: P10491 - GM specification number 9984532 For in-plant use, Ford TOX#042633. P13706 - Ford TOX#160960.

Door Shell



P60305
Inner Panel Rustproofing
(Cavity Wax)



I584663
Inner Panel Rustproofing LV



KT11001
Stone Guard Black
(Gravel Guard)



KT13133
Seam Sealer Tape



KT12401[†]
Flex-E-6115 -
Controlled Flow
Seam Sealer



P10601[†]
Ure-Foam
Expandable Foam
Sound Deadener



P32947
12" x 12" Sound
Deadening Pads

[†]OEM Approved: P10601 – Ford Tox No. 170096 for Part A, Ford Tox No. 170248 for Part B, GM Approved 9984534 for in plant

Door Skin/Shell



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT13133
Seam Sealer Tape



1515024
Self-Etching
Primer



P60305
Inner Panel Rustproof
(Cavity Wax)



I584663
Inner Panel Rustproof LV



P32947
12" x 12" Sound
Deadening Pads



KT14912
Rubber Guard
(Undercoat)



KT12401[†]
Flex-E-6115 -
Controlled Flow
Seam Sealer



PI0601[†]
Ure-Foam
Expandable Foam
Sound Deadener



PI0581
Door Skin Sealer
Adhesive



PI3706[†]
Quick Seal 2000
(Sprayable Seam Sealer)

[†]OEM Approved: PI0601 - Ford Part A - TOX#I70096, Part B - TOX#I70248. PI3706 - Ford TOX#I60960.

Quarter Panel



P60295
Weldable Zinc
Primer



KT13821
Weldable Copper
Primer



KT14677
DTM High Build
Epoxy Primer 2K



I515024
Self-Etching
Primer



KT11001
Stone Guard Black
(Gravel Guard)




P60305
Inner Panel
Rustproof
(Cavity Wax)



I584663
Inner Panel
Rustproof LV



KT14912
Rubber Guard
(Undercoat)



KT13133
Seam Sealer Tape



KT13326
Wheel House
Opening Arch Tape



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/16(M8)



PI0491†
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)



KT13672
Pillar Foam
10 oz.



KT12638
Panel Adhesive 2-1



PI3706†
Quick Seal 2000
(Sprayable Seam
Sealer)



P32947
12" x 12" Sound
Deadening Pads

†OEM Approved: PI0491 - GM specification number 9984532 For in-plant use. Ford TOX#042633. PI3706 - Ford TOX#160960.

SUV Uniside



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy
Primer 2K



I515024
Self-Etching
Primer



P60305
Inner Panel Rustproofers
(Cavity Wax)



I584663
Inner Panel Rustproofers LV



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/3/1/16(M8)



KT14912
Rubber Guard
(Undercoat)



P10491[†]
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)



KT13672
Pillar Foam
10 oz.



P32947
12" x 12" Sound
Deadening Pads



P13706[†]
Quick Seal 2000
(Sprayable Seam Sealer)

[†]OEM Approved: P10491 - GM specification number 9984532 For in-plant use, Ford TOX#042633. P13706 - Ford TOX#160960.

Rear Body Panel



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy
Primer 2K



I515024
Self-Etching Primer



P60305
Inner Panel
Rustproof
(Cavity Wax)



I584663
Inner Panel
Rustproof LV



KT14912
Rubber Guard
(Undercoat)



KT12400
Flex-E-6020 -
High Viscosity
Seam Sealer



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/3/16(M8)

Quick Seal MSP



KT13977 Beige



KT13978 Gray



KT13979† Black



KT15176 White



KT12638
Panel Adhesive 2-1



P13706†
Quick Seal 2000
(Sprayable Seam Sealer)

†OEM Approved: KT13979 - Ford TOX#I56632. P13706 - Ford TOX#I60960.

Trunk Floor & Rear Frame Rail



P60295
Weldable Zinc
Primer



KT13821
Weldable Copper
Primer



KT14677
DTM High Build
Epoxy Primer 2K



KT12638
Panel Adhesive 2-1



PI0612
Rigid-Foam
Expandable
Foam



P60305
Inner Panel
Rustproof
(Cavity Wax)



I584663
Inner Panel
Rustproof LV



KT14912
Rubber Guard
(Undercoat)



PI3706⁺
Quick Seal 2000
(Sprayable Seam
Sealer)



P32947
12 x 12" Sound
Deadening Pads

Quick Seal MSP



KT13977 Beige



KT13978 Gray



KT13979⁺ Black



KT15176 White



P43782
Supertanium[®] ProBit[®]
Spot Weld Remover
Drill Bit HSS 2-13/16 (M8)



KT14707
Supertanium[®] ProBit[®]
Spot Weld Remover
Drill Bit 5/16" (M8)

⁺OEM Approved: PI3706 - Ford TOX#160960. KT13979 - Ford TOX#156632.

Trunk Floor & Rear Frame Rail Cont.



DTM Primer



1456568

Black



1456569

Gray



1456570

Light Green



1456571

Olive Green



1506366

Tan



1506367

White



1506368

Olive Brown



Trunk Lid



PI0491[†]

Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)



PI0601[†]

Ure-Foam
Expandable Foam
Sound Deadener



KT13523

Sound Deadener



KT13133

Seam Sealer Tape

[†]OEM Approved: PI0491 – GM specification number 9984532 For in-plant use, Ford TOX#042633,
PI0601 – Ford Tox No. 170096 for Part A, Ford Tox No. 170248 for Part B, GM Approved 9984534 for in plant use

Truck Bed Side



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy
Primer 2K



I515024
Self-Etching Primer



P60305
Inner Panel Rustproof
(Cavity Wax)



I584663
Inner Panel Rustproof LV



P43782
Supertanium® ProBit®
Spot Weld Remover
Drill Bit HSS 2-1/3/16(M8)



KT11001
Stone Guard Black
(Gravel Guard)



KT12400
Flex-E-6020 -
High Viscosity
Seam Sealer



KT12638
Panel Adhesive 2-1



P13706[†]
Quick Seal 2000
(Sprayable Seam Sealer)




KT14912
Rubber Guard
(Undercoat)


[†]OEM Approved: P13706 - Ford TOX#160960.

Hood





PI0491[†]
Flex-E-6000
(2-Part, Non-Sag
Seam Sealer)




PI0601[†]
Ure-Foam
Expandable Foam
Sound Deadener




KT13523
Sound Deadener




KT13133
Seam Sealer Tape

[†]OEM Approved: PI0491 – GM specification number 9984532 For in-plant use, Ford TOX#042633,
PI0601 – Ford Tox No. 170096 for Part A, Ford Tox No. 170248 for Part B, GM Approved 9984534 for in plant use

Roof



P60295
Weldable Zinc Primer



KT13821
Weldable Copper Primer



KT14677
DTM High Build Epoxy Primer 2K



1515024
Self-Etching Primer



PI0601[†]
Ure-Foam Expandable Foam Sound Deadener



KT13523
Sound Deadener



KT12401[†]
Flex-E-6115 - Controlled Flow Seam Sealer



KT12638
Panel Adhesive 2-1



PI0545[†]
Speed Set Windshield Sealant



PI3706[†]
Quick Seal 2000 (Sprayable Seam Sealer)



KT13979[†]
Quick Seal MSP - Black



P43782
Supertanium® ProBit® Spot Weld Remover Drill Bit HSS 2-13/16(M8)



P32947
12" x 12" Sound Deadening Pads

[†]OEM Approved: PI0601 – Ford Tox No. 170096 for Part A, Ford Tox No. 170248 for Part B, GM Approved 9984534 for in plant use. PI0545 – GM Approved 99854684 for in plant use. PI3706 - Ford TOX#160960. KT13979 - Ford TOX#156632. KT13979 - Ford TOX#156632.